L Number	Hits	Search Text	DB	Time stamp
1	4	("6055120" "6061198" "5936788" "6493169").pn.	USPAT; US-PGPUB; EPO; JPO	2004/07/28 00:10
12	22	("3723980" "4799112" "4821125" "4907109" "4965501" "5047876" "5084791" "5128813" "5262907" "5276662" "5408365" "5408367" "5422760" "5455717" "5550502" "5592340" "5631999" "5726818" "5732055" "6088662" "6124998" "6266203").PN.	USPAT	2004/07/27 23:00
13	0	6747838.URPN.	USPAT	2004/07/27 23:00
14	20	("3723980" "4799112" "4821125" "4907109" "4965501" "5047876" "5084791" "5128813" "5262907" "5276662" "5408365" "5408367" "5422760" "5455717" "5550502" "5592340" "5631999" "5726818" "5732055" "6124998").PN.	USPAT	2004/07/27 23:02
15	6	6266203.URPN.	USPAT	2004/07/27
16	17	("3753254" "3940679" "4721894" "5128813" "RE35302" "5566077" "5760563" "5877911" "5986839" "6078455" "6088662" "6144246" "6154017" "6157897" "6160383" "6166356" "6266203").PN.	USPAT	23.02 2004/07/27 23:03
17	0	6744586.URPN.	USPAT	2004/07/27 23:03
315	5051058	temperature or heat or temp or thermal or radiant	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/28
316	9229	(temperature or heat or temp or thermal or radiant) with (spindle or "SPM" or "DCM")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/28 00:13
317	285514	360/\$.ccls. or 369/\$.ccls. or 700/\$.ccls. or 318/\$.ccls. or 388/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/28 00:13
318	867	((temperature or heat or temp or thermal or radiant) with (spindle or "SPM" or "DCM")) and (360/\$.ccls. or 369/\$.ccls. or 700/\$.ccls. or 318/\$.ccls. or 388/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/28 00:14
319	412	(((temperature or heat or temp or thermal or radiant) with (spindle or "SPM" or "DCM")) and (360/\$.ccls. or 369/\$.ccls. or 700/\$.ccls. or 318/\$.ccls. or 388/\$.ccls.)) and ("VCM" or (coil))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/28 00:14
320	1843579	(starting or start-up or start or (start adj up) or spinup or (spin-up) or (spin adj up) or initialization or (power adj (up or on)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/28 00:15
321	211	((((temperature or heat or temp or thermal or radiant) with (spindle or "SPM" or "DCM")) and (360/\$.ccls. or 369/\$.ccls. or 700/\$.ccls. or 318/\$.ccls. or 388/\$.ccls.)) and ("VCM" or (coil))) and ((starting or start-up or start or (start adj up) or spinup or (spin-up) or (spin adj up) or initialization or (power adj (up or on))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/28 00:59

322	17	("4947093" "4972316" "5051998" "5057785" "5220569" "5262907" "5373400" "5502713" "5530705" "5625506" "5627843" "5631999" "5721816" "5761212" "5801899" "5893048" "6055120").PN.	USPAT	2004/07/28
323	3	6392833.URPN.	USPAT	2004/07/28
324	9	("3908130" "4835448" "5097189" "5268627" "5436544" "5466999" "5471353" "5777447" "5986419").PN.	USPAT	2004/07/28
325	13	6078158.URPN.	USPAT	2004/07/28
326	74737	(temperature or heat or temp or thermal or radiant) near5 ("VMC" or coil)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/28
327	889794	"VMC" or coil	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/28 01:03
328	159159	(temperature or heat or temp or thermal or radiant) same ("VMC" or coil)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/28 01:04
329	624	((temperature or heat or temp or thermal or radiant) same ("VMC" or coil)) same (spindle or "SPM" or "DCM")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/28
330	246	<pre>((temperature or heat or temp or thermal or radiant) near5 ("VMC" or coil)) and (((temperature or heat or temp or thermal or radiant) same ("VMC" or coil)) same (spindle or "SPM" or "DCM"))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/28
331	0	2000222815.URPN.	USPAT	2004/07/28
332	20766	resistance near4 ("VCM" or coil)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/28 02:10
333	325	resistance near4 ("VCM" or (coil adj2 motor))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/28
334	14	<pre>(resistance near4 ("VCM" or (coil adj2 motor))) same (spindle or "SPM" or "DCM" or "SM")</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/28 02:13
335	85	(resistance near4 ("VCM" or coil)) same (spindle or "SPM" or "DCM" or "SM")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/28 02:13
336	57	((resistance near4 ("VCM" or coil)) same (spindle or "SPM" or "DCM" or "SM")) not (((resistance near4 ("VCM" or (coil adj2 motor))) same (spindle or "SPM" or "DCM" or "SM")) or (((temperature or heat or temp or thermal or radiant) near5 ("VMC" or coil)) and (((temperature or heat or temp or thermal or radiant) same ("VMC" or coil)) same (spindle or "SPM" or "DCM"))) or 6078158.URPN. or ((((temperature or heat or temp or thermal or radiant) with (spindle or "SPM" or "SPM" or "DCM")) and (360/\$.ccls. or 369/\$.ccls. or 700/\$.ccls. or 318/\$.ccls. or 388/\$.ccls.)) and ("VCM" or (coil))) and ((starting or start-up or start or (start adj up) or spinup or (spin-up) or (spin adj up) or initialization or (power adj (up or on)))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/28 02:13

337	15	(US-6342985-\$ or US-5204593-\$ or	USPAT;	2004/07/28
		US-6055120-\$ or US-5687277-\$ or	US-PGPUB;	02:21
		US-6747838-\$ or US-6266203-\$ or	JPO;	
		US-6744586-\$ or US-6088662-\$ or	DERWENT	
		US-6392833-\$ or US-6078158-\$).did. or		
		(US-20040124800-\$ or		
		US-20040124799-\$).did. or (JP-05120859-\$		
		or JP-2000222815-\$).did. or		
1		(JP-2000222815-\$).did.		
338	14	, ,	USPAT;	2004/07/28
		US-6055120-\$ or US-5687277-\$ or	US-PGPUB;	02:58
		US-6747838-\$ or US-6266203-\$ or	EPO; JPO; DERWENT	
		US-6744586-\$ or US-6088662-\$ or US-6392833-\$ or US-6078158-\$).did. or	DEKWENI	
		(US-20040124800-\$ or		
		US-200401247000 \$ GI US-20040124799-\$).did. or (JP-05120859-\$		
		or JP-2000222815-\$).did. or]	}
	:	(JP-2000222815-\$).did.) and (temperature		
		or heat or temp or thermal or radiant)		
339	273	resistance with (temperature or heat or	USPAT;	2004/07/28
	2,3	temp or thermal or radiant) with ("VCM"	US-PGPUB;	03:30
		or (voice adj2 coil))	EPO; JPO;	
	i	02 (10200 00)	DERWENT	
340	45	(360/\$.ccls. or 369/\$.ccls. or	USPAT;	2004/07/28
		700/\$.ccls. or 318/\$.ccls. or	US-PGPUB;	03:05
		388/\$.ccls.) and (resistance with	EPO; JPO;	
		(temperature or heat or temp or thermal	DERWENT	
		or radiant) with ("VCM" or (voice adj2		
		coil)))		
341	8	(resistance with (temperature or heat or	USPAT;	2004/07/28
		temp or thermal or radiant) with ("VCM"	US-PGPUB;	03:09
1		or (voice adj2 coil))) same torque	EPO; JPO;	
			DERWENT	
342	38	((360/\$.ccls. or 369/\$.ccls. or	USPAT;	2004/07/28
		700/\$.ccls. or 318/\$.ccls. or	US-PGPUB;	03:09
		388/\$.ccls.) and (resistance with	EPO; JPO;	
		(temperature or heat or temp or thermal	DERWENT	
		or radiant) with ("VCM" or (voice adj2		
	}	coil)))) and ((starting or start-up or		
		start or (start adj up) or spinup or		
		(spin-up) or (spin adj up) or	<u> </u>	
		initialization or (power adj (up or		
343	1411	on))))	USPAT;	2004/07/28
343	1411	(temperature or heat or temp or thermal or radiant) with ("VCM" or (voice adj2	US-PGPUB;	03:30
	İ	coil))	EPO; JPO;	1 03.30
			DERWENT	
344	33	((temperature or heat or temp or thermal	USPAT;	2004/07/28
"		or radiant) with ("VCM" or (voice adj2	US-PGPUB;	03:30
		coil))) same torque	EPO; JPO;	
		•	DERWENT	
-	578	318/471.ccls.	USPAT;	2004/07/26
			US-PGPUB;	06:46
			EPO; JPO;	
	[DERWENT	
-	3268789	temperature	USPAT;	2004/07/26
	}		US-PGPUB;	07:07
			EPO; JPO;	
	1		DERWENT	
-	1430538	spindle or disk or disc	USPAT;	2004/07/26
			US-PGPUB;	07:02
			EPO; JPO;	
		Harmell / / / / / / / / / / / / / / / / / /	DERWENT	1 2004/67/25
-	24690	"VCM" or (voice adj coil)	USPAT;	2004/07/26
			US-PGPUB;	07:02
			EPO; JPO;	
	(71	tomponature with ("NGM" as (i	DERWENT	2004/07/26
-	671	temperature with ("VCM" or (voice adj	USPAT;	2004/07/26
		COLLI	US-PGPUB;	07:02
			EPO; JPO;	
	1	1	DERWENT	

				-
_	2	318/471.ccls. and (temperature with ("VCM" or (voice adj coil)))	USPAT; US-PGPUB; EPO; JPO;	2004/07/26 07:03
_	0	20040124800.URPN.	DERWENT USPAT	2004/07/26
-	5035770	temperature or temp or heat or thermal	USPAT; US-PGPUB; EPO; JPO;	07:03 2004/07/26 07:08
_	989	("VCM" or (voice adj coil)) near5 (temperature or temp or heat or thermal)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/07/26 07:08
_	1957779	start-up or startup or spin-up or spinup or (start adj up) or (spin adj up) or starting or started or start	DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/26 07:09
_	33	(("VCM" or (voice adj coil)) near5 (temperature or temp or heat or thermal)) same (start-up or startup or spin-up or spinup or (start adj up) or (spin adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/26 07:41
_	34	or starting or started or start)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/26 08:04
	25	<pre>((("VCM" or (voice adj coil)) near5 (temperature or temp or heat or thermal)) same spindle) not ((("VCM" or (voice adj coil)) near5 (temperature or temp or heat or thermal)) same (start-up or startup or spin-up or spinup or (start adj up) or (spin adj up) or starting or started or start))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/26 07:42
-	167	1 ''	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/26 14:53
-	735	360/97.02.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/26 14:53
-	214	700/153,202,205,299.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/26 14:53
-	196	(("VCM" or (voice adj coil)) near6 (temperature or temp or heat or thermal)) same (disc or disk or spindle)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/26 15:25
-	38	(("VCM" or (voice adj coil)) near6 (temperature or temp or heat or thermal)) same (spindle)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/26 15:27
-	14	(("VCM" or (voice adj coil)) near6 (resistance)) same (spindle)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/26 15:28
_	16	("3753245" "3775655" "4207601" "4679103" "4835633" "5005089" "5084791" "5119250" "5128813" "5268804" "5270885" "5305160" "RE35302" "5594603" "5898286" "5912782").PN.	USPAT	2004/07/26 16:18
-	2	6342985.URPN.	USPAT	2004/07/26
_	9	("4207601" "4533995" "4609953" "4831469" "4885517" "5012166" "5036264" "5084661" "5090001").PN.	USPAT	2004/07/26 17:01
-	22		USPAT	2004/07/26 17:01
		<u></u>		<u> </u>

-	5	("5204593" "5296792" "5444622"	USPAT	2004/07/26
		"5469032" "5486747").PN.	ļ	17:07
-	1	5687277.URPN.	USPAT	2004/07/26
]_	130	///"VCM" on /roigo odi sail\\ noonE	ucpam.	17:07
	130	<pre>((("VCM" or (voice adj coil)) near5 (temperature or temp or heat or thermal))</pre>	USPAT; US-PGPUB;	2004/07/26 17:18
		same (disc or disk)) not ((("VCM" or	EPO; JPO;	17.10
		(voice adj coil)) near5 (temperature or	DERWENT	
		temp or heat or thermal)) same (start-up		
		or startup or spin-up or spinup or (start		
		adj up) or (spin adj up) or starting or		
		started or start)) or ((("VCM" or (voice		
		adj coil)) near5 (temperature or temp or		
		heat or thermal)) same spindle) or (((("VCM" or (voice adj coil)) near5		
1		(temperature or temp or heat or thermal))		
		same spindle) not ((("VCM" or (voice adj		
1		coil)) near5 (temperature or temp or heat		
		or thermal)) same (start-up or startup or		
		spin-up or spinup or (start adj up) or		
		(spin adj up) or starting or started or		
_	153	start)))) (((("VCM" or (voice adj coil)) near6	USPAT;	2004/07/26
	133	(temperature or temp or heat or thermal))	US-PGPUB;	17:19
		same (disc or disk or spindle)) or	EPO; JPO;	
		(((("VCM" or (voice adj coil)) near5	DERWENT	<u> </u>
		(temperature or temp or heat or thermal))		
		same (disc or disk)) not (((("VCM" or		
		(voice adj coil)) near5 (temperature or		
		temp or heat or thermal)) same (start-up		
		or startup or spin-up or spinup or (start adj up) or (spin adj up) or starting or		
	i	started or start)) or (("VCM" or (voice		
		adj coil)) near5 (temperature or temp or		
		heat or thermal)) same spindle) or		
		(((("VCM" or (voice adj coil)) near5		
		(temperature or temp or heat or thermal))		[
		same spindle) not ((("VCM" or (voice adj coil)) near5 (temperature or temp or heat		1
		or thermal)) same (start-up or startup or		
		spin-up or spinup or (start adj up) or]
		(spin adj up) or starting or started or		
		start)))))) not (((("VCM" or (voice adj		
		coil)) near6 (temperature or temp or heat		
:		or thermal)) same (spindle)) or ((("VCM"		
		or (voice adj coil)) near6 (resistance)) same (spindle)) or (("3753245"		
		"3775655" "4207601" "4679103"		
		"4835633" "5005089" "5084791"		
		"5119250" "5128813" "5268804"		
		"5270885" "5305160" "RE35302"		
		"5594603" "5898286" "5912782").PN.)		
		or 6342985.URPN. or (("4207601" "4533995" "4609953" "4831469"		
		"4885517" "5012166" "5036264"		
		"5084661" "5090001").PN.) or		
		5204593.URPN. or (("5204593" "5296792"		
		"5444622" "5469032" "5486747").PN.)		
		or 5687277.URPN.)		